

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S107	2	s-load adj instruction	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 14:53
S114	10	US-6189088-\$.DID. OR US-6321328-\$.DID. OR US-5903749-\$.DID. OR US-5933618-\$.DID. OR US-5881280-\$.DID. OR US-6189088-\$.DID. OR US-6321328-\$.DID.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 14:54
S105	4	US-5754812-\$.DID. OR US-6415380-\$.DID.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:01
S116	1	(flag or field or entr\$3) with (indicat\$3) with load with (instruction or operation) with check\$3 with (retir\$5 or complet\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:03
S115	93	(flag or field or entr\$3) with (indicat\$3) with load with (instruction or operation) with (retir\$5 or complet\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:03
S118	5	("5611063" "6418516" "6473833" "6606702" "6609192").PN. OR ("6718839").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/12 15:07
S117	50	((flag or field or entr\$3) with (indicat\$3) with load with (instruction or operation) with (retir\$5 or complet\$4)) and "712". CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:15
S119	4	((flag or field or entr\$3) with load with (instruction or operation) with check\$3 with (retir\$5 or complet\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:17
S121	1	(track\$3 with order with load with (instruction or operation)) and (indicat\$4 with load with check\$3 with (retir\$5 or complet\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:18

EAST Search History

S12 2	1	(track\$3 with order with load with (instruction or operation)) and (indicat\$4 with check\$3 with (retir\$5 or complet\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:19
S12 0	1	(track\$3 with order with load with (instruction or operation)) and (indicat\$4 with load with check\$3 with (retir\$5 or complet\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:19
S12 4	50	(order with load with (instruction or operation)) and (load with check\$3 with (retir\$5 or complet\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:20
S12 3	14	(order with load with (instruction or operation)) and (indicat\$4 with check\$3 with (retir\$5 or complet\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 15:20
S12 7	38	(Dale Morris).IN. and "712".CLAS.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/12 15:26
S12 6	11	("4318172" "5835745" "5966544" "6094717" "6098166" "6108770" "6163838" "6282629" "6463522").PN. OR ("6665792").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/12 15:26
S12 5	6	(track\$3 with order with load with (instruction or operation)) and (load with check\$3 with (retir\$5 or complet\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:13
S12 9	2	"5848256".PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:21
S13 0	23	("4789925" "4807115" "4903196" "4916652" "5185872" "5241633" "5345569" "5363495" "5465336" "5467473" "5526499" "5615350" "5619662" "5625789" "5666506" "5748934").PN. OR ("5848256").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/12 16:23

EAST Search History

S12 8	4	((reorder adj buffer) or ROB) same (check\$3 with load with (instruction or operation) with (retir\$5 or complet\$4))) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:24
S13 1	1	((reorder adj buffer) or ROB) same (flag with load with (instruction or operation) with (retir\$5 or complet\$4))) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:25
S13 2	2	((reorder adj buffer) or ROB) with flag with load) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:27
S13 4	1	((reorder adj buffer) or ROB) with flag with check\$3 with retire\$4) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:28
S13 3	1	((reorder adj buffer) or ROB) with indicat\$3 with check\$3 with retire\$4) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:28
S13 5	39	((reorder adj buffer) or ROB) with check\$3 with retire\$4) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/12 16:29
S13 6	0	("2004/0168045").URPN.	USPAT	AND	ON	2007/03/12 16:48
S13 8	2	"6681317".PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:34
S14 1	61	S140 not S139	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:43
S13 9	29	((advanced or speculative) adj load adj (instruction or operation)) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:43

EAST Search History

S14 0	90	((advanced or speculative) adj load) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:45
S14 3	7	((advanced or speculative) adj load) and ((reorder adj buffer) or ROB) and (check\$3 with load with retir\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 18:11
S14 4	29	(speculative adj load) and (International adj Business adj Machines).ASNM. and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 10:42
S14 7	6	((speculative or advanced) adj load) and (aimee li).XA.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 10:48
S14 6	1	((speculative or advanced) adj load) and (huisman).XA.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 10:48
S14 2	27	((advanced or speculative) adj load) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 11:06
S14 8	90	((advanced or speculative) adj load) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 11:12
S14 9	65	((advanced or speculative) adj load) and ((reorder adj buffer) or ROB) not (intel).ASNM.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 11:20
S14 5	6	((speculative or advanced) adj load) with (check\$3 or verif\$4) with retir\$5) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 11:21
S15 0	3	((indicat\$3 or flag\$3) with (check\$3 or verif\$4) with (instruction or operation) with retir\$5 with speculat\$4) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 11:26

EAST Search History

S15 1	3	((indicat\$3 or flag\$3) with (check\$3 or verif\$4) with retir\$5) same ((instruction or operation) with speculat\$4)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 11:27
S15 2	3	((indicat\$3 or flag\$3) with (check\$3 or verif\$4) with speculat\$4) same ((instruction or operation) with retir\$5)) and "712".CLAS.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 12:14
S15 5	2	"20040216001".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/16 17:13
S15 4	91	(indicat\$4 with speculativ\$3 with (instruction or operation)) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/16 17:13
S15 3	11	(flag\$3 with speculativ\$3 with (instruction or operation)) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:29
S15 6	48	(flag\$3 with speculativ\$3 with (instruction or operation)) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:30
S15 8	6	(speculative adj (bit or flag or field or indication)) with ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:35
S16 0	2	"5765016".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:39
S15 9	10	(speculative adj (bit or flag or field or indication)) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:39
S15 7	144	((flag\$3 or bit or indicat\$4) with speculativ\$3 with (instruction or operation)) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:49
S16 2	6	(speculativ\$3 with (load adj (instruction or operation))) and (speculativ\$3 with (flag\$3 or bit or field) with ((reorder adj buffer) or ROB))	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:55

EAST Search History

S16 4	6	((speculativ\$3 adj (flag\$3 or bit or field)) with ((reorder adj buffer) or ROB))	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:57
S16 3	0	(speculativ\$3 adj (flag\$3 or bit or field) adj indicat\$3 adj (instruction or operation) near2 speculativ\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 14:57
S16 1	2	((flag\$3 or bit or field) with speculativ\$3 with (load adj (instruction or operation))) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:21
S16 7	0	(speculativ\$3 adj load adj (flag\$3 or bit or field)) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:22
S16 6	0	(speculativ\$3 adj load adj (flag\$3 or bit or field)) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:22
S16 5	0	(speculativ\$3 adj instruction adj (flag\$3 or bit or field)) same ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:22
S16 8	0	(speculativ\$3 adj (instruction or operation) adj (flag\$3 or bit or field)) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:23
S17 0	0	(flag adj speculative adj load adj instruction)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:34
S16 9	34	(speculativ\$3 adj (flag\$3 or bit or field)) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:34
S17 2	2	(flag adj speculativ\$3 adj load)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:35
S17 1	0	(flag adj speculativ\$3 adj load adj instruction)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:35
S17 3	20	(speculativ\$3 adj load adj (flag or bit))	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:37

EAST Search History

S17 4	1	((reorder adj buffer) or ROB) with (bit or flag or field) with check\$3 with speculativ\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/27 15:38
S17 5	1	(advanced adj load adj allocation adj table) and (store adj (queue or buffer)) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:11
S17 7	57	((advanced adj load adj allocation adj table) or ALAT) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:12
S17 6	1	(advanced adj load adj allocation adj table) and ((reorder adj buffer) or ROB)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:12
S17 8	26	((advanced adj load adj allocation adj table) or ALAT) and ((reorder adj buffer) or ROB) and "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:15
S17 9	13	((advanced or boosted or speculative) near2 load near2 (table or buffer or queue)) and ((reorder adj buffer) or ROB) and "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:16
S13 7	2	"5751983".PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:27
S18 1	2	enable adj speculative adj load adj table	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:28
S18 0	2	"5611063".PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2007/03/28 07:28
L1	634	(712/225).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/28 11:00